

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 1 | 1 plastic injection molding machine , Fabrikat: Krauss Maffei, Typ: KM 150-520 C2 + LR 100, Bj. 2005, Seriennummer: 61006519, clamping force 1.500 kN; mounting plate dimensions 780 x 790 mm; clearance between columns 500 x 500 mm; min./max. mold height min 300 mm; maximum opening width 900 mm; screw diameter 45 mm; injection volume 275 cm ³ , shot weight 250 g; injection pressure 1.878 bar; net weight with control cabinet 7,1 t; operating hours: 55.096; peripheral: robot LR 100 | 7.830,00 |
| 2 | 1 plastic injection molding machine , Fabrikat: Engel, Typ: DUO 3550/650, Bj. 2006, Seriennummer: 161399, clamping force 6500 kN; mounting plate dimensions 1465 x 1360; clearance between columns 1025 x 930 mm; min./max. mold height min 450/950 mm; maximum opening width 1800 mm; screw diameter 90 mm; injection volume 2480 cm ³ ; shot weight 2254 g; injection pressure 2300 bar; operating hours: 78000; peripheral: robot. | 21.060,00 |
| 3 | 1 plastic injection molding machine , Fabrikat: Engel, Typ: DUO 3550/650, Bj. 2006, Seriennummer: 161394, clamping force 6500 kN; mounting plate dimensions 1465 x 1360; clearance between columns 1025 x 930 mm; min./max. mold height min 450/950 mm; maximum opening width 1800 mm; screw diameter 90 mm; injection volume 2480 cm ³ ; shot weight 2254 g; injection pressure 2300 bar; operating hours: 82000; peripheral: robot. | 21.060,00 |
| 4 | 1 plastic injection molding machine , Fabrikat: Krauss Maffei, Typ: 110-380 CX, Bj. 2015, Seriennummer: 61023469, clamping force 1100 kN; mounting plate dimensions 745 x 770 mm; clearance between columns 470 x 470 mm; min./max. mold height min 300/600 mm; maximum opening width 900 mm; screw diameter 35 mm; injection volume 154 cm ³ ; shot weight 140 g; injection pressure 2429 bar; net weight with control cabinet 7,6t; operating hours: 0. | 31.860,00 |
| 6 | 1 plastic injection molding machine , Fabrikat: Demag, Typ: Extra 100 - 430, Bj. 2004, Seriennummer: 7866-1010, clamping force 1000 kN; mounting plate dimensions 540 x 540 mm; clearance between columns 400 x 400 mm; min./max. mold height min 450/500 mm; maximum opening width 750 mm; screw diameter 40 mm; injection volume 231 cm ³ ; shot weight 208 g; injection pressure 2025 bar; net weight with control cabinet 4,8t; production cycles: 251315262. | 5.130,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|---|--------------|
| 7 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 420 - 3500 C2, Bj. 2007, Seriennummer: 61009133, clamping force 4200 kN; mounting plate dimensions 1270 x 1200 mm; clearance between columns 800 x 800 mm; min./max. mold height min 380 / - mm; maximum opening width 1400 mm; screw diameter 90 mm; injection volume 1953 cm³; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 23,2t; operating hours: 77105.</p> | 26.460,00 |
| 8 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 650 - 5700 CM, Bj. 2002, Seriennummer: 654319, clamping force 6500 kN; mounting plate dimensions 1530 x 1450 mm; clearance between columns 1000 x 930 mm; min./max. mold height min 400 / - mm; maximum opening width 1550 mm; screw diameter 80 mm; injection volume 1543 cm³; shot weight 1404 g; injection pressure 2205 bar; net weight with control cabinet 45,7t; operating hours: 59156.</p> | 18.900,00 |
| 9 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 110 - 520 C1, Bj. 2004, Seriennummer: 61005527, clamping force 1100 kN; mounting plate dimensions 745 x 770 mm; clearance between columns 470 x 470 mm; min./max. mold height min 400 / - mm; maximum opening width 1000 mm; screw diameter 45 mm; injection volume 275 cm³; shot weight 250 g; injection pressure 1878 bar; net weight with control cabinet 6,0t; operating hours: 90648.</p> | 5.640,00 |
| 10 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 650 - 3500 C1, Bj. 2003, Seriennummer: 61004358, clamping force 6500 kN; mounting plate dimensions 1510 x 1370 mm; clearance between columns 1000 x 930 mm; min./max. mold height min 600 / - mm; maximum opening width 1750 mm; screw diameter 90 mm; injection volume 1953 cm³; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 35t; operating hours: 93794.</p> | 21.060,00 |
| 12 | <p>1 plastic injection molding machine, Fabrikat: Arburg, Typ: 520c 2000-675, Bj. 2002, Seriennummer: 188589, clamping force 2000 kN; mounting plate dimensions 715 x 715 mm; clearance between columns 520 mm; min./max. mold height min 250 / 500 mm; maximum opening width 650 mm; screw diameter 55 mm; shot weight 310 g; injection pressure 1720 bar; net weight with control cabinet 6,63t; operating hours: 74917.</p> | 4.806,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 13 | <p>1 plastic injection molding machine, Fabrikat: Arburg, Typ: 375v 500 100 Vertical, Bj. 2012, Seriennummer: 221859, clamping force 500 kN; mounting plate dimensions 504 x 424 mm; clearance between columns: tie-bar-less; min./max. mold height min 200 mm; maximum opening width 450-550 mm; screw diameter 20 mm; injection volume 31 cm³; shot weight 29 g; injection pressure 2500 bar; net weight with control cabinet 3,05t; operating hours: 18000.</p> | 27.000,00 |
| 14 | <p>1 plastic injection molding machine, Fabrikat: Battenfeld, Typ: TM 5500/2800, Bj. 2004, Seriennummer: 90703, clamping force 5500 kN; mounting plate dimensions 1280 x 1280 mm; clearance between columns 900 x 900 mm; min./max. mold height min 450/800 mm; maximum opening width 900 mm; screw diameter 85 mm; injection volume 2128 cm³; shot weight 1936 g; injection pressure 1354 bar; net weight with control cabinet 33,5t; operating hours: 64800.</p> | 15.660,00 |
| 15 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 180 - 750 AX, Bj. 2010, Seriennummer: 61014052, clamping force 5500 kN; mounting plate dimensions 1280 x 1280 mm; clearance between columns 900 x 900 mm; screw diameter 85 mm; injection volume 2128 cm³; shot weight 1936 g; injection pressure 1354 bar; net weight with control cabinet 33,5t; operating hours: 42361.</p> | 23.760,00 |
| 16 | <p>1 plastic injection molding machine, Fabrikat: Engel, Typ: ES 1350/250 HL, Bj. 2002, Seriennummer: 48245, clamping force 2500kN; mounting plate dimensions 1050 x 900 mm; min./max. mold height min 350-1200 mm; maximum opening width 850 mm; screw diameter 60 mm; injection volume 735 cm³; shot weight 662g; injection pressure 1830 bar; net weight with control cabinet 20t; operating hours: 64649.</p> | 9.450,00 |
| 17 | <p>1 plastic injection molding machine, Fabrikat: Toshiba, Typ: IS 650 GTW, Bj. 2007, Seriennummer: 780204, clamping force 6500 kN; mounting plate dimensions 1530 x 1530 mm; clearance between columns 1080 x 1080 mm; min./max. mold height min 450/900 mm; maximum opening width 1800 mm; screw diameter 95 mm; injection volume 3150 cm³; shot weight 2900 g; net weight with control cabinet 30t; operating hours: 72000.</p> | 31.860,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|---|--------------|
| 18 | 1 plastic injection molding machine , Fabrikat: Toshiba, Typ: IS 450 GSW, Bj. 2007, Seriennummer: 713804, clamping force 4410 kN; mounting plate dimensions 1230 x 1230 mm; clearance between columns 870 x 870 mm; min./max. mold height min 450/900 mm; maximum opening width 1800 mm; screw diameter 70 mm; injection volume 1480 cm ³ ; shot weight 1360 g; injection pressure 1780 bar; net weight with control cabinet 22t; operating hours: 69000. | 25.000,00 |
| 19 | 1 plastic injection molding machine , Fabrikat: Netstal, Typ: SynEnergy 1500-60, Bj. 2003, Seriennummer: 2002024001, clamping force 1600 kN; mounting plate dimensions 740 x 750 mm; clearance between columns 460 x 460 mm; min./max. mold height min 250/550 mm; maximum opening width 700 mm; screw diameter 50 mm; injection volume 353 cm ³ ; shot weight 339 g; injection pressure 1890 bar; net weight with control cabinet 11,2t; OPERATING HOURS: 86782. | 6.966,00 |
| 20 | 1 plastic injection molding machine , Fabrikat: Engel, Typ: Victory 500/150Pro-Tech, Bj. 2005, Seriennummer: 158320, clamping force 1500 kN; mounting plate dimensions 750 x 520 mm; clearance between columns: TIE-BAR-LESS; min./max. mold height min 300/900 mm; maximum opening width 600 mm; screw diameter 40 mm; injection volume 251 cm ³ ; shot weight 231 g; injection pressure 1302 bar; net weight with control cabinet 9,6t; operating hours: 53866. | 7.290,00 |
| 21 | 1 plastic injection molding machine , Fabrikat: Borche, Typ: BS 150-III, Bj. 2015, Seriennummer: 1203N121, clamping force 1500 kN; mounting plate dimensions 670 x 670 mm; clearance between columns 460 X 460 mm; min./max. mold height min 300/900 mm; screw diameter 45 mm; injection volume 341 cm ³ ; shot weight 321 g; injection pressure 1850 bar; net weight with control cabinet 4,3t; operating hours 18724. | 12.420,00 |
| 22 | 1 plastic injection molding machine , Fabrikat: Borche, Typ: BS 150-III, Bj. 2015, Seriennummer: 1202M102, clamping force 1500 kN; mounting plate dimensions 670 x 670 mm; clearance between columns 460 X 460 mm; min./max. mold height min 300/900 mm; screw diameter 45 mm; injection volume 341 cm ³ ; shot weight 321 g; injection pressure 1850 bar; net weight with control cabinet 4,3t; operating hours: 26030. | 12.420,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 23 | <p>1 plastic injection molding machine, Fabrikat: Engel, Typ: Victory 330/150 TECH PRO, Bj. 2003, Seriennummer: 49833, clamping force 1500 kN; mounting plate dimensions 520 x 750 mm; clearance between columns: TIE-BAR-LESS; min./max. mold height min 300 mm; min./max. mold height min 300 mm; maximum opening width 600 mm; screw diameter 30 mm; injection volume 113 cm³; shot weight 103 g; injection pressure 2180 bar; net weight with control cabinet 9,1t; operating hours: 59727.</p> | 11.500,00 |
| 24 | <p>1 plastic injection molding machine, Fabrikat: Engel, Typ: ES 3550/550 K, Bj. 1998, Seriennummer: 34166, clamping force 5500 kN; mounting plate dimensions 1345 x 1280 mm; clearance between columns 915 x 860 mm; min./max. mold height min 310 x 800 mm; min./max. mold height min 310/800 mm; maximum opening width 850 mm; screw diameter 80 mm; injection volume 1960 cm³; shot weight 1765 g; injection pressure 1730 bar; net weight with control cabinet 10t; operating hours: 78964.</p> | 8.100,00 |
| 25 | <p>1 plastic injection molding machine, Fabrikat: Stork, Typ: SX-N 12000-8600, Bj. 2001, Seriennummer: X82260, clamping force 12000 kN; mounting plate dimensions 1146 x 1696 mm; clearance between columns 1200 x 1200 mm; min./max. mold height min 500- 1695 mm; maximum opening width 2000 mm; screw diameter 100 mm; injection volume 4800 cm³; shot weight 4363 g; operating hours: 61133.</p> | 29.700,00 |
| 26 | <p>1 plastic injection molding machine, Fabrikat: Demag, Typ: Concept 300-630/2300, Bj. 2006, Seriennummer: 87 880 078, clamping force 3000 kN; mounting plate dimensions 950 x 950 mm; clearance between columns 630 x 630 mm; screw diameter 80 mm; injection volume 1583 cm³; shot weight 1430 g; injection pressure 1437 bar; net weight with control cabinet 14,6t; operating hours: 49875.</p> | 13.500,00 |
| 27 | <p>1 plastic injection molding machine, Fabrikat: Demag, Typ: Ergotech 160 430 Extra, Bj. 2005, Seriennummer: 7896-1073, clamping force 1600 kN; mounting plate dimensions 770 x 770 mm; clearance between columns 520 x 520 mm; min./max. mold height min 275/685 mm; maximum opening width 500 mm; screw diameter 40 mm; injection volume 231 cm³; shot weight 260 g; injection pressure 1600 bar; net weight with control cabinet 6,5t; operating hours: 78985.</p> | 10.692,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 28 | <p>1 plastic injection molding machine, Fabrikat: Battenfeld, Typ: HM 500/5100, Bj. 2006, Seriennummer: 130043-100, clamping force 5000 kN; mounting plate dimensions 1470 x 1260 mm; clearance between columns 900 x 720 mm; min./max. mold height min 450 mm; maximum opening width 1600 mm; screw diameter 85 mm; injection volume 2412 cm³; shot weight 2195 g; injection pressure 2110 bar; net weight with control cabinet 26t; operating hours: 57708.</p> | 29.160,00 |
| 29 | <p>1 plastic injection molding machine, Fabrikat: Ferromatik, Typ: Milacron K-TEC 275 S, Bj. 2007, Seriennummer: 555609, clamping force 2750 kN; mounting plate dimensions 970 x 970 mm; clearance between columns 630 x 630 mm; min./max mold height min 345 mm; screw diameter 60 mm; injection volume 763 cm³; shot weight 694 g; injection pressure 2144 bar; net weight with control cabinet 15,5t; operating hours: 59878.</p> | 10.692,00 |
| 30 | <p>1 plastic injection molding machine, Fabrikat: Arburg, Typ: 520c 2000-675, Bj. 2002, Seriennummer: 174001, clamping force 2000 kN; mounting plate dimensions 685 x 685 mm; clearance between columns 520 x 520 mm; min./max. mold height min 250 mm; screw diameter 45 mm; injection volume 139 cm³; shot weight 240 g; injection pressure 2500 bar; net weight with control cabinet 6,63t; operating hours: 73435.</p> | 6.426,00 |
| 31 | <p>1 plastic injection molding machine, Fabrikat: Engel, Typ: Victory 1050h/500w/80v 260 combi 3k, Bj. 2010, Seriennummer: 174118, clamping force 2600 kN; clearance between columns: TIE-BAR-LESS; screw diameter 60 mm; injection volume 608 cm³; shot weight 669 g; injection pressure 1725 bar; net weight with control cabinet 22,2t; operating hours: 34567.</p> | 21.060,00 |
| 32 | <p>1 plastic injection molding machine, Fabrikat: Demag, Typ: Ergotech System 3300-1450/310 2K, Bj. 2002, Seriennummer: 8790559, clamping force 3300 kN; mounting plate dimensions 1040 x 950 mm; clearance between columns 710 x 630 mm; min./max. mold height min 330/710 mm; maximum opening width 1385 mm; screw diameter 70 mm; injection volume 1039 cm³; shot weight 940 g; injection pressure 1400 bar; net weight with control cabinet 15,5t; operating hours: 77209.</p> | 6.966,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 33 | <p>1 plastic injection molding machine (Zuschlag unter Vorbehalt), Fabrikat: Battenfeld, Typ: TM4500/2800, Bj. 2001, Seriennummer: 57213, clamping force 4500 kN; mounting plate dimensions 1155 x 1195 mm; clearance between columns 800 x 800 mm; min./max. mold height min 425/770 mm; maximum opening width 1530 mm; screw diameter 75 mm; injection volume 1657 cm³; shot weight 1506 g; injection pressure 1739 bar; net weight with control cabinet 21t; operating hours 78072.</p> | 7.506,00 |
| 34 | <p>1 plastic injection molding machine, Fabrikat: Battenfeld, Typ: TM 3500 / 1900, Bj. 2004, Seriennummer: 90118, clamping force 3500 kN; mounting plate dimensions 1010 x 1010 mm; clearance between columns 710 x 710 mm; min./max. mold height min 300/710 mm; maximum opening width 1380 mm; screw diameter 65 mm; injection volume 1078 cm³; shot weight 981 g; injection pressure 1777 bar; net weight with control cabinet 15,2t; operating hours 59220.</p> | 10.206,00 |
| 35 | <p>1 plastic injection molding machine, Fabrikat: Arburg, Typ: 370C 800-350, Bj. 2005, Seriennummer: 198600, clamping force 800 kN; mounting plate dimensions 570 x 570 mm; clearance between columns 370 x 370 mm; min./max. mold height min 250/500 mm; maximum opening width 750 mm; screw diameter 45 mm; injection volume 230 cm³; shot weight 210 g; injection pressure 1670 bar; net weight with control cabinet 3,18t; operating hours: 64321.</p> | 7.290,00 |
| 36 | <p>1 plastic injection molding machine, Fabrikat: Krauss Maffei, Typ: KM 450-3500 C3, Bj. 2008, Seriennummer: 61012560, clamping force 4500 kN; mounting plate dimensions 1270 x 1200 mm; clearance between columns 900 x 800 mm; min./max. mold height min 480 mm; maximum opening width 1650 mm; screw diameter 90 mm; injection volume 1953 cm³; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 26,3t; operating hours: 67976.</p> | 18.900,00 |

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

| Pos. | Bezeichnung | Startpreis € |
|------|--|--------------|
| 37 | <p>1 plastic injection molding machine, Fabrikat: Battenfeld, Typ: TM4500/2800, Bj. 57742, Seriennummer: 2001, clamping force 4500 kN, mounting plate dimensions 1.155 x 1.195 mm, clearance between columns 800 x 800 mm, min./max. mold height min 425/770 mm, maximum opening width 1.530 mm, screw diameter 75 mm, injection volume 1.657 cm³, shot weight 1.506 g, injection pressure 1.739 bar, net weight with control cabinet 21 t, operating hours 86.068</p> | 7.506,00 |
| 38 | <p>1 plastic injection molding machine, Fabrikat: Battenfeld, Typ: TM4500/2800, Bj. 57741, Seriennummer: 2001, clamping force 4500 kN, mounting plate dimensions 1.155 x 1.195 mm, clearance between columns 800 x 800 mm, min./max. mold height min 425/770 mm, maximum opening width 1.530 mm, screw diameter 75 mm, injection volume 1.657 cm³, shot weight 1.506 g, injection pressure 1.739 bar, net weight with control cabinet 21 t, operating hours 76.139</p> | 7.506,00 |